



- Built-in camera in-use LED indicator
- Touch sensitive AI intelligent on / off button
- 2 speakers at the rear of the camera
- Full HD 1080p glass lens
- Universal bracket (desk mount, monitor mount and tripod fixing thread for optional tripod attachment)
- USB-A or USB-C to a Computer, Laptop, Professional display or Touch monitor
- Dual stereo duplexed microphones for smooth natural conversations
- Integrated privacy lens cover

## SPITFIRE conference camera

### 4K Ultra HD

- Ideal for live video broadcast, video conference, home video recording, network teaching
- Single USB wire solution - No additional power needed
- Plug & Play solution - No software or downloads needed
- Intelligent zoom, powered by AI - lens moves to focus on the people in the room
- Compatible with all computers (Mac/PC) and softphones, and is designed to work straight out of the box
- USB Type-A and USB Type-C connectivity using the USB adapter included
- Built-in camera in-use LED indicator
- Multi-angled desk mount / monitor mount (as well as tripod fixing thread option on the base) giving full 360° camera rotation and 90° camera forward tilt
- 96° field of view - up to 8 person conference room

Art.No. **7-870030**

GTIN **5060126958901**



# SPITFIRE conference camera

## 4K Ultra HD

### Product features

- Article dimensions: 160 x 48 x 52 mm
- Colour: Black
- Material of product: Acrylonitrile butadiene styrene (ABS)
- Sensor type: Infrared
- Number of persons: 8
- Plug and Play: Yes
- Mounting type: Desk mount, Monitor mount or tripod fixing

### Camera

- Gain control type: Auto
- Zoom type: Ai zoom
- Zoom factor: 5x
- Lens size: M12 x P0.5
- Megapixel: 8.3 MP
- Focus adjustment: Auto
- Aperture: f/2.5
- Aperture tolerance: 5 %
- Field of view (FOV) angle: 96 °
- Viewing angle: H: 87° / V: 56°
- Minimum illumination: 0.5 lx
- White balance: Auto
- Wide Dynamic Range (WDR): Yes
- Lens cover: Yes

### Microphone

- Number of microphones: 2
- Built-in microphone: Yes
- Microphone direction type: Omnidirectional microphone
- Microphone pick-up range: 5 m
- Microphone sensitivity: -38 dB

### Audio & Video

- HD type: 4K Ultra HD
- Supported graphics resolutions: 3840 x 2160, 2920 x 1080, 1280 x 720 (HD 720), 640 x 480 (VGA)
- Supported video modes: 2160p
- Maximum frame rate: 30 fps
- Video formats supported: MJPG, YUY2
- Built-in speakers: Yes
- Number of speakers: 2
- Automatic gain control: Yes
- Impedance: 8 Ω
- Sample rate: 48KHz
- Noise reduction: Yes
- Echo cancellation: Yes
- Signal-to-noise ratio: 60 dB

### Network

- Bluetooth: No
- Ethernet LAN: No
- Wi-Fi: No

### Supported OS

- Supported OS: Android 4.0 with UVC, Mac OSX 10.10 and up, Windows 7 and up

### Ports & Interfaces

- USB ports: 1x USB 3.0 Type-C

### Power

- AC (power) in: No
- AC adapter included: No
- Battery required: No

### Operational conditions

- Operating relative humidity: 30 - 60 %
- Operating temperature: 0 - 70 °C
- Storage relative humidity: 30 - 70 %
- Storage temperature: -40 - 80 °C

### Certification

- Certifications: CE, FCC, RoHS, UKCA

### Warranty

- Product warranty: 2 Years
- Warranty extension: 1 Years
- Warranty terms: 3 years limited warranty (2 years standard repair or replacement warranty plus a 3rd year cover on the camera only)

### Logistics

- Packing dimensions: 177 x 84 x 224 mm
- Customs tariff number: 852589000000
- Quantity: 1 piece(s)
- Weight (gross/net): 360 g / 285 g

## Product overview

Article name	Article number	GTIN/EAN	Minimum order quantity
Legamaster SPITFIRE conference camera 4K Ultra HD	7-870030	5060126958901	1